



Efficient system integration.

The non-self-priming, multistage Wilo-Medana CH1-L reaches maximum hydraulic output. Its compact and robust design with corrosion-resistant components enables drinking water application and use in ambient temperatures up to 50 °C. The UL-certified pump offers a very wide field of applications for integration into larger systems.



Recommended services



Maintenance



Commissioning


Your advantages

- > High efficiency thanks to high hydraulic output
- > Quick and easy commissioning/maintenance thanks to large openings for filling and draining pumps
- > Highly reliable and robust with low noise emissions thanks to neck ring and corrosion-resistant lantern with cataphoretic coating
- > Suitable for use in ambient temperatures of up to 50 °C and expanded field of application especially for system integration
- > Suitable for drinking water applications
- > Compliant to UL certificate

Product features



- 1 Compact design
- 2 Material with media contact in stainless steel
- 3 Cataphoretic lantern
- 4 Big diameter for filling and emptying
- 5 Reinforced pump feet with direct access for screw fixing
- 6 Option: quick connection hydraulics interfaces



Design

Non-self-priming horizontal multistage pump

Application

- > Water distribution and boosting
- > Irrigation
- > Industrial process

Equipment/function

- > Stainless steel in monobloc design
- > Threaded connection
- > Single-phase or three-phase AC motor
- > Single-phase AC motor equipped with built-in thermal motor protection (with automatic restart)

Type key

Example: Wilo-MEDANA CH1-L.202-1/E/A/10T/QQ

MEDANA Family name surface pump
CH Commercial Horizontal
1 Series level (1 = entry, 3 = standard, 5 = premium)
L Long shaft
2 Nominal volume flow [m³/h] of the single pump
02 Number of single pump stages
1 1 = AISI 304
 2 = AISI 316L
E E = EPDM seal
A A = frequency 50 Hz/single-phase/230 V
 B = frequency 60 Hz/single-phase/220 V
 C = frequency 60 Hz/single-phase/230 V
 D = frequency 50 Hz/three-phase/400 V
 E = frequency 50 Hz/three-phase/230 - 400 V
 F = frequency 60 Hz/three-phase/220 - 380 V
 G = frequency 60 Hz/three-phase/265 - 460 V
 I = frequency 60 Hz/three-phase/460 V
10 Nominal pressure (bar)
T C = Tri-Clamp
 N = union nuts
 P = Victaulic connections
 T = threaded connections
QQ Mechanical seal type Q7

Technical data

- > Mains connection: 1–230 V ($\pm 10\%$), 50 Hz
- > Mains connection: 3–230 V-400 V ($\pm 10\%$), 50 Hz; 265-460 V ($\pm 10\%$), 60 Hz
- > Fluid temperature: -20 to +120°C (EPDM), -20 to +90°C (FKM)
- > Max. operating pressure: 10 bar
- > Max. inlet pressure: 6 bar
- > IP rating: IPX5
- > Nominal diameter of pipe connections: from G1" to G2" depending on type

Materials

- > Impellers, stage chambers and pump housing made of 1.4301/1.4404 stainless steel
- > Shaft 1.4301 or 1.4404 stainless steel
- > Seal EPDM/FKM (Viton)
- > Mechanical seal: EPDM version: B-carbon/silicon carbide; FKM version: B-carbon/silicon carbide
- > Bearing tungsten carbide/aluminum oxide
- > Pump base aluminum

Scope of delivery

- > Pump
- > Installation and operating instructions

Product list

Product description	Flow rate <i>Q</i>	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power <i>P</i> ₂	Gross weight, approx. <i>m</i>	Article number
MEDANA CH1-L.201-1/E/E/10T/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4266277
MEDANA CH1-L.201-2/E/E/10C/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,5 kg	4273725
MEDANA CH1-L.202-1/E/E/10T/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4266253
MEDANA CH1-L.202-2/E/E/10C/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,5 kg	4273727
MEDANA CH1-L.203-1/E/E/10T/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4266254
MEDANA CH1-L.203-2/E/E/10C/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,9 kg	4273729
MEDANA CH1-L.204-1/E/E/10T/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4266255
MEDANA CH1-L.204-2/E/E/10C/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,55 kW	11,2 kg	4273731
MEDANA CH1-L.205-1/E/E/10T/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	13 kg	4266256
MEDANA CH1-L.205-2/E/E/10C/QQ	2 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,55 kW	13 kg	4273733
MEDANA CH1-L.206-1/E/E/10T/QQ	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,4 kg	4266257
MEDANA CH1-L.206-2/E/E/10C/QQ	2 m³/h	IE3	Stainless steel	Stainless steel	DN25	0,75 kW	13,4 kg	4273735
MEDANA CH1-L.207-1/E/E/10T/QQ	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,8 kg	4266258
MEDANA CH1-L.207-2/E/E/10C/QQ	2 m³/h	IE3	Stainless steel	Stainless steel	DN25	0,75 kW	13,8 kg	4273737
MEDANA CH1-L.401-1/E/E/10T/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4266278
MEDANA CH1-L.401-2/E/E/10C/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,5 kg	4273739
MEDANA CH1-L.402-1/E/E/10T/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4266259
MEDANA CH1-L.402-2/E/E/10C/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,5 kg	4273741
MEDANA CH1-L.403-1/E/E/10T/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4266260
MEDANA CH1-L.403-2/E/E/10C/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	10,9 kg	4273743
MEDANA CH1-L.404-1/E/E/10T/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4266261
MEDANA CH1-L.404-2/E/E/10C/QQ	4 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,55 kW	11,2 kg	4273745
MEDANA CH1-L.405-1/E/E/10T/QQ	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13 kg	4266262
MEDANA CH1-L.405-2/E/E/10C/QQ	-	-	-	-	-	-	13 kg	4273747
MEDANA CH1-L.406-1/E/E/10T/QQ	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	15,2 kg	4266263
MEDANA CH1-L.406-2/E/E/10C/QQ	4 m³/h	IE3	Stainless steel	Stainless steel	DN25	0,75 kW	15,2 kg	4273749
MEDANA CH1-L.407-1/E/E/10T/QQ	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,7 kg	4266264

Product description	Flow rate Q	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power P ₂	Gross weight, approx. m	Article number
MEDANA CH1-L.407-2/E/E/10C/QQ	4 m³/h	IE3	Stainless steel	Stainless steel	DN25	1,1 kW	15,7 kg	4273751
MEDANA CH1-L.601-1/E/E/10T/QQ	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	11 kg	4266279
MEDANA CH1-L.601-2/E/E/10C/QQ	6 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,37 kW	11 kg	4273753
MEDANA CH1-L.602-1/E/E/10T/QQ	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11 kg	4266265
MEDANA CH1-L.602-2/E/E/10C/QQ	6 m³/h	IE2	Stainless steel	Stainless steel	DN25	0,55 kW	11 kg	4273755
MEDANA CH1-L.603-1/E/E/10T/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	14,8 kg	4266266
MEDANA CH1-L.603-2/E/E/10C/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	DN25	1,1 kW	14,8 kg	4273757
MEDANA CH1-L.604-1/E/E/10T/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,5 kg	4266267
MEDANA CH1-L.604-2/E/E/10C/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	DN25	1,1 kW	15,5 kg	4273759
MEDANA CH1-L.605-1/E/E/10T/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,5 kW	19,4 kg	4266268
MEDANA CH1-L.605-2/E/E/10C/QQ	6 m³/h	IE3	Stainless steel	Stainless steel	DN25	1,5 kW	19,4 kg	4273761
MEDANA CH1-L.1001-1/E/E/10T/QQ	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	0,55 kW	14,1 kg	4266280
MEDANA CH1-L.1001-2/E/E/10C/QQ	10 m³/h	IE2	Stainless steel	Stainless steel	DN32	0,55 kW	14,1 kg	4273763
MEDANA CH1-L.1002-1/E/E/10T/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,1 kW	14,1 kg	4266269
MEDANA CH1-L.1002-2/E/E/10C/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	DN32	1,1 kW	14,1 kg	4273765
MEDANA CH1-L.1003-1/E/E/10T/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,5 kW	18 kg	4266270
MEDANA CH1-L.1003-2/E/E/10C/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	DN32	1,5 kW	18 kg	4273767
MEDANA CH1-L.1004-1/E/E/10T/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,85 kW	22 kg	4266271
MEDANA CH1-L.1004-2/E/E/10C/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	DN32	1,85 kW	22 kg	4273769
MEDANA CH1-L.1005-1/E/E/10T/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	2,5 kW	22,7 kg	4266272
MEDANA CH1-L.1005-2/E/E/10C/QQ	10 m³/h	IE3	Stainless steel	Stainless steel	DN32	2,5 kW	22,7 kg	4273771
MEDANA CH1-L.1601-1/E/E/10T/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,1 kW	17,5 kg	4266281
MEDANA CH1-L.1601-2/E/E/10C/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	DN40	1,1 kW	17,5 kg	4273773
MEDANA CH1-L.1602-1/E/E/10T/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,5 kW	17,5 kg	4266273
MEDANA CH1-L.1602-2/E/E/10C/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	DN40	1,5 kW	17,5 kg	4273775
MEDANA CH1-L.1603-1/E/E/10T/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,85 kW	20,4 kg	4266274
MEDANA CH1-L.1603-2/E/E/10C/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	DN40	1,85 kW	20,4 kg	4273777
MEDANA CH1-L.1604-1/E/E/10T/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	2,5 kW	22,4 kg	4266276

Product description	Flow rate Q	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power P ₂	Gross weight, approx. m	Article number
MEDANA CH1-L.1604-2/E/E/10C/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	DN40	2,5 kW	22,4 kg	4273779
MEDANA CH1-L.1605-1/E/E/10T/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	3 kW	26,2 kg	4266275
MEDANA CH1-L.1605-2/E/E/10C/QQ	16 m³/h	IE3	Stainless steel	Stainless steel	DN40	3 kW	26,2 kg	4273781
Medana CH1-L.201-1/E/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4257620
Medana CH1-L.202-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,2 kg	4231462
Medana CH1-L.202-1/E/E/10N	2 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,37 kW	9,7 kg	4259672
Medana CH1-L.202-1/E/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4231463
Medana CH1-L.202-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,2 kg	4235324
Medana CH1-L.202-2/V/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4235325
Medana CH1-L.203-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,6 kg	4231464
Medana CH1-L.203-1/E/E/10N	2 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,37 kW	10 kg	4259674
Medana CH1-L.203-1/E/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4231465
Medana CH1-L.203-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,6 kg	4235326
Medana CH1-L.203-2/V/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4235327
Medana CH1-L.204-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,6 kg	4231466
Medana CH1-L.204-1/E/E/10N	2 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,55 kW	11,5 kg	4259676
Medana CH1-L.204-1/E/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4231467
Medana CH1-L.204-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,6 kg	4235328
Medana CH1-L.204-2/V/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4235329
Medana CH1-L.205-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	14,4 kg	4231468
Medana CH1-L.205-1/E/E/10N	2 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,55 kW	11,9 kg	4259678
Medana CH1-L.205-1/E/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	13 kg	4231469
Medana CH1-L.205-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	14,4 kg	4235330
Medana CH1-L.205-2/V/E/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	13 kg	4235331
Medana CH1-L.206-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	14,8 kg	4231470
Medana CH1-L.206-1/E/E/10N	2 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	0,75 kW	13,6 kg	4259680
Medana CH1-L.206-1/E/E/10T	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,4 kg	4231471
Medana CH1-L.206-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	14,8 kg	4235332

Product description	Flow rate Q	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power P ₂	Gross weight, approx. m	Article number
Medana CH1-L.206-2/V/E/10T	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,4 kg	4235333
Medana CH1-L.207-1/E/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	15,9 kg	4231472
Medana CH1-L.207-1/E/E/10N	2 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	0,75 kW	14 kg	4259682
Medana CH1-L.207-1/E/E/10T	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,8 kg	4231473
Medana CH1-L.207-2/V/A/10T	2 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	15,9 kg	4235334
Medana CH1-L.207-2/V/E/10T	2 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13,8 kg	4235335
Medana CH1-L.401-1/E/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4257622
Medana CH1-L.402-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,2 kg	4231474
Medana CH1-L.402-1/E/E/10N	4 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,37 kW	9,7 kg	4259684
Medana CH1-L.402-1/E/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4231475
Medana CH1-L.402-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,2 kg	4235336
Medana CH1-L.402-2/V/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,5 kg	4235337
Medana CH1-L.403-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4231476
Medana CH1-L.403-1/E/E/10N	4 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,37 kW	10 kg	4259686
Medana CH1-L.403-1/E/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4231477
Medana CH1-L.403-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4235338
Medana CH1-L.403-2/V/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	10,9 kg	4235339
Medana CH1-L.404-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,6 kg	4231478
Medana CH1-L.404-1/E/E/10N	4 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,55 kW	11,5 kg	4259688
Medana CH1-L.404-1/E/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4231479
Medana CH1-L.404-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,6 kg	4235340
Medana CH1-L.404-2/V/E/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,2 kg	4235341
Medana CH1-L.405-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	14,4 kg	4231480
Medana CH1-L.405-1/E/E/10N	4 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	0,75 kW	13,2 kg	4259690
Medana CH1-L.405-1/E/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13 kg	4231481
Medana CH1-L.405-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,75 kW	14,4 kg	4235342
Medana CH1-L.405-2/V/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	13 kg	4235343
Medana CH1-L.406-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,5 kg	4231482

Product description	Flow rate <i>Q</i>	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power <i>P</i> ₂	Gross weight, approx. <i>m</i>	Article number
Medana CH1-L.406-1/E/E/10N	4 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	0,75 kW	13,6 kg	4259692
Medana CH1-L.406-1/E/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	15,2 kg	4231483
Medana CH1-L.406-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,5 kg	4235344
Medana CH1-L.406-2/V/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	0,75 kW	15,2 kg	4235345
Medana CH1-L.407-1/E/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,9 kg	4231484
Medana CH1-L.407-1/E/E/10N	4 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	1,1 kW	15,8 kg	4259694
Medana CH1-L.407-1/E/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,7 kg	4231485
Medana CH1-L.407-2/V/A/10T	4 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,9 kg	4235346
Medana CH1-L.407-2/V/E/10T	4 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,7 kg	4235347
Medana CH1-L.601-1/E/E/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,37 kW	11 kg	4257624
Medana CH1-L.602-1/E/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,4 kg	4231486
Medana CH1-L.602-1/E/E/10N	6 m³/h	IE2	Stainless steel	Stainless steel	G 1¼	0,55 kW	11,3 kg	4259696
Medana CH1-L.602-1/E/E/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11 kg	4231487
Medana CH1-L.602-2/V/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11,4 kg	4235348
Medana CH1-L.602-2/V/E/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	0,55 kW	11 kg	4235349
Medana CH1-L.603-1/E/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15 kg	4231488
Medana CH1-L.603-1/E/E/10N	6 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	1,1 kW	15,1 kg	4259698
Medana CH1-L.603-1/E/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	14,8 kg	4231489
Medana CH1-L.603-2/V/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	15 kg	4235350
Medana CH1-L.603-2/V/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	14,8 kg	4235351
Medana CH1-L.604-1/E/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	19,1 kg	4231490
Medana CH1-L.604-1/E/E/10N	6 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	1,1 kW	15,8 kg	4259700
Medana CH1-L.604-1/E/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	15,5 kg	4231491
Medana CH1-L.604-2/V/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,1 kW	19,1 kg	4235352
Medana CH1-L.604-2/V/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,1 kW	14 kg	4235353
Medana CH1-L.605-1/E/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,5 kW	19,9 kg	4260347
Medana CH1-L.605-1/E/E/10N	6 m³/h	IE3	Stainless steel	Stainless steel	G 1¼	1,5 kW	19,8 kg	4259702
Medana CH1-L.605-1/E/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,5 kW	19,4 kg	4231493

Product description	Flow rate Q	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power P ₂	Gross weight, approx. m	Article number
Medana CH1-L.605-2/V/A/10T	6 m³/h	IE2	Stainless steel	Stainless steel	Rp 1	1,5 kW	19,9 kg	4260353
Medana CH1-L.605-2/V/E/10T	6 m³/h	IE3	Stainless steel	Stainless steel	Rp 1	1,5 kW	19,4 kg	4235355
Medana CH1-L.1001-1/E/E/10T	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	0,55 kW	14,1 kg	4257626
Medana CH1-L.1002-1/E/A/10T	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	1,1 kW	14,4 kg	4231494
Medana CH1-L.1002-1/E/E/10N	10 m³/h	IE3	Stainless steel	Stainless steel	G 1½	1,1 kW	14,5 kg	4259704
Medana CH1-L.1002-1/E/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,1 kW	14,1 kg	4231495
Medana CH1-L.1002-2/V/A/10T	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	1,1 kW	14,4 kg	4235356
Medana CH1-L.1002-2/V/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,1 kW	14,1 kg	4235357
Medana CH1-L.1003-1/E/A/10T	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	1,5 kW	18,5 kg	4260350
Medana CH1-L.1003-1/E/E/10N	10 m³/h	IE3	Stainless steel	Stainless steel	G 1½	1,5 kW	18,5 kg	4259706
Medana CH1-L.1003-1/E/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,5 kW	18 kg	4231497
Medana CH1-L.1003-2/V/A/10T	10 m³/h	IE2	Stainless steel	Stainless steel	Rp 1¼	1,5 kW	18,5 kg	4260356
Medana CH1-L.1003-2/V/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,5 kW	18 kg	4235359
Medana CH1-L.1004-1/E/E/10N	10 m³/h	IE3	Stainless steel	Stainless steel	G 1½	1,85 kW	21,4 kg	4259708
Medana CH1-L.1004-1/E/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,85 kW	22 kg	4231498
Medana CH1-L.1004-2/V/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	1,85 kW	22 kg	4235360
Medana CH1-L.1005-1/E/E/10N	10 m³/h	IE3	Stainless steel	Stainless steel	G 1½	2,5 kW	23,5 kg	4259710
Medana CH1-L.1005-1/E/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	2,5 kW	22,7 kg	4231499
Medana CH1-L.1005-2/V/E/10T	10 m³/h	IE3	Stainless steel	Stainless steel	Rp 1¼	2,5 kW	22,7 kg	4235361
Medana CH1-L.1601-1/E/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,1 kW	17,5 kg	4257628
Medana CH1-L.1602-1/E/E/10N	16 m³/h	IE3	Stainless steel	Stainless steel	G 2	1,5 kW	19 kg	4259712
Medana CH1-L.1602-1/E/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,5 kW	17,5 kg	4239730
Medana CH1-L.1602-2/V/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,5 kW	17,5 kg	4244239
Medana CH1-L.1603-1/E/E/10N	16 m³/h	IE3	Stainless steel	Stainless steel	G 2	1,85 kW	20,9 kg	4259714
Medana CH1-L.1603-1/E/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,85 kW	20,4 kg	4239783
Medana CH1-L.1603-2/V/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	1,85 kW	20,4 kg	4244240
Medana CH1-L.1604-1/E/E/10N	16 m³/h	IE3	Stainless steel	Stainless steel	G 2	2,5 kW	24 kg	4259716
Medana CH1-L.1604-1/E/E/10T	16 m³/h	IE3	Stainless steel	Stainless steel	Rp 1½	2,5 kW	22,4 kg	4243625

Product description	Flow rate <i>Q</i>	Motor efficiency class	Pump housing	Impeller	Discharge port	Rated power <i>P</i> ₂	Gross weight, approx. <i>m</i>	Article number
Medana CH1-L.1604-2/V/E/10T	16 m ³ /h	IE3	Stainless steel	Stainless steel	Rp 1½	2,5 kW	22,4 kg	4244242
Medana CH1-L.1605-1/E/E/10N	16 m ³ /h	IE3	Stainless steel	Stainless steel	G 2	3 kW	26,7 kg	4259722
Medana CH1-L.1605-1/E/E/10T	16 m ³ /h	IE3	Stainless steel	Stainless steel	Rp 1½	3 kW	26,2 kg	4241310
Medana CH1-L.1605-2/V/E/10T	16 m ³ /h	IE3	Stainless steel	Stainless steel	Rp 1½	3 kW	26,2 kg	4244241